

County of Santa Cruz

HEALTH SERVICES AGENCY

POST OFFICE BOX 962, 1080 EMELINE AVENUE SANTA CRUZ, CA 95061-0962 (831) 454-4120 FAX: (831) 454-4272 TDD: (831) 454-4123

EMERGENCY MEDICAL SERVICES PROGRAM

Protocol No. S1
Reviewed 01/07

Emergency Medical Services Program

Appr	oved			
	Medica	ıl Dire	ector	

Subject: RESPIRATORY BORNE ILLNESS

Overview: The presence of Respiratory Borne Illness should be considered for all patients. For those patients presenting with cough, <u>difficulty</u> breathing, or an unknown illness, the following protocol should be followed by **ALL** EMS responders – BLS and ALS.

- **I.** Any EMS responder approaching the patient should wear an N-95 mask.
- **II.** Obtain an appropriate **history**:
 - 1. If patient **doesn't have** cough or difficulty breathing, then go to the usual protocol for patient's chief complaint. No Respiratory Borne Illness infection control is needed.
 - 2. If patient <u>has</u> cough or difficulty breathing but has **no risk factors*** for Respiratory Borne Illness exposure then go to the usual protocol for patient's chief complaint. No infection control is needed.
 - 3. If patient has cough or difficulty breathing and has risk factors for Respiratory Borne Illness exposure or risk factors are unknown, then all EMS responders should adhere to droplet and contact infection control guidelines** and go to the usual protocol for patient's chief complaint. Make early Base contact for information purposes.

*Risk Factors:

1) The patient has **traveled** to an area (or passed through the airport) with documented or suspected community transmission of Respiratory Borne Illness in **the 10 days prior** to becoming ill

Or

2) The patient has had **close contact** with a person who is ill with a cough and/or difficulty breathing and **the close contact person has traveled** to an area (or passed through the airport) with documented or suspected community transmission of Respiratory Borne Illness in the **10 days prior** to becoming ill.

** Droplet and Contact Information Control Guidelines:

- 1) For the EMS Responder: Eye covering, N-95 mask, disposable gown, gloves.
- 2) **For the patient**: A surgical mask, or if this is not tolerated, an oxygen mask or non-rebreather mask with high flow O2.
- 3) Extensive decontamination is unnecessary but the ambulance interior should be wiped down with the usual cleaning product.
- 4) Clothing or disposable equipment is not considered a biohazard and can be disposed of in a plastic bag in the trash.

5) Use good hand hygiene and wash hands after removing gloves. If hands are not visibly contaminated may use waterless hand wash.

DEFINITIONS:

1) **Close contact**: Close contact is defined as having cared for, having lived with, or having direct contact with respiratory secretions and/or body fluids of a person.

Respiratory Borne Illness EMS Algorithm:

